

Author Index

A

Abdel-Dayem, H M, 698
 Abe, K, 72
 Abe, T, 825
 Abidov, A, 848
 Accorsi, R, 410
 Adams, B K, 388, 507
 Ahmed, E, 507
 Aisaka, M, 597
 Aisbett, K R, 831
 Ak, C, 70, 519
 Akcay, F, 519
 Akhurst, T, 444
 Al-Alnahhas, A, 713
 Alavi, A, 209, 238, 279, 324, 380, 429, 449, 496, 567, 620, 637, 685, 807
 Alberini, J-L, 752
 Al-Haider, Z Y, 388, 507
 Alhindawi, R, 644
 Allman, K, 813
 Allred, T J, 581
 Almoguera, M, 781
 Alonso, J C, 781
 Alper, F, 65
 Ames, J T, 161
 An, Y-S, 856
 Andalkar, L, 289
 Ang, W L B, 633
 Anstadt, M P, 581
 Archer, K, 320
 Ari, Z B, 292
 Arici, M, 103
 Arifa, N, 249
 Arndt, J W, 343
 Arslan, N, 382, 738, 817
 Artiko, V, 670
 Aslan, S, 70
 Asoglu, O, 306
 Atasever, T, 154
 Atilla, B, 538
 Auyong, T K, 105, 509
 Avram, A M, 516
 Axelrod, D, 698
 Aydin, M, 129

B

Baillet, G, 251
 Bakir, A, 249
 Bal, C S, 303, 403
 Balan, K K, 488, 730, 815
 Banopadhyaya, G, 167
 Barai, S, 167
 Barbeaux, A, 767
 Barge, M L, 194
 Baron, J, 352
 Barroso, A, 358, 795
 Bar-Sever, Z, 99
 Bartholomeusz, F D, 642

Barutca, S, 125
 Basu, S, 626
 Battle, J C, 449
 Bautovich, G, 498
 Beale, P, 320
 Beauvais, M M, 522
 Becker, G J, 592
 Beggs, A D, 585
 Belinki, A, 292
 Ben-Haim, S, 255
 Berberoglu, K, 306, 760
 Bergmann, S R, 243
 Berlangieri, S U, 37
 Berman, D S, 848
 Berman, L H, 730
 Bernier, M-O, 841
 Bernstine, H, 292
 Besser, M, 68
 Better, N, 81, 592, 831
 Bettmann, M A, 419
 Bhargava, P, 238, 324, 429, 685
 Bhatnagar, A, 51, 303
 Bhatnagar, P, 51, 303, 534, 595
 Bhattacharya, A, 454
 Bianco, J, 21, 542
 Biega, T L, 112
 Biersack, H-J, 316
 Biggi, A, 117
 Binns, D, 809
 Birchall, J D, 375
 Bird, N J, 469
 Bitterman, H, 255
 Bittini, A, 844
 Bizais, Y, 789
 Black, W C, 419
 Blake, M P, 703
 Blend, M J, 270
 Blodgett, T M, 161
 Bloom, D A, 296, 415, 572, 646
 Blumenthal, B M, 861
 Bokhari, S, 243
 Bolat, F A, 129
 Bosly, A, 91
 Bossuyt, A, 652
 Botton, E, 789
 Boucher, L, 799
 Boughattas, S, 249
 Bozfakioglu, Y, 306
 Broersma, M, 609
 Brown, R D, 644, 709
 Bruce, W, 465, 552
 Bui, C, 262
 Bural, G G, 807
 Bykov, S, 110

C

Cammilleri, S, 268
 Canning, D, 410
 Cantez, S, 27, 306, 760
 Cardoso, L D, 358

Caride, V J, 300, 440
 Carrasquillo, J A, 35
 Casara, D, 662
 Casillas, M A, 765
 Cengiz, Y, 447
 Cerci, S S, 456
 Cermik, T F, 631
 Cesnik, R, 204
 Chakera, A H, 840
 Cham, D, 39, 770
 Chan, K-S, 667
 Chan, L L, 164
 Chander, S, 296, 415, 502, 572, 646
 Chandrashekar, N, 403
 Chang, C-P, 859
 Chang, W-K, 564
 Chang, Y-L, 329
 Charron, M, 238, 410, 429
 Chatterton, B E, 642
 Chen, C C, 35
 Chen, H, 21, 542
 Chen, Y-K, 124, 281
 Chen, Y-W, 326
 Cheng, S-N, 264
 Cheow, H K, 488
 Cherng, S-C, 264
 Cheze-Le Rest, C, 789
 Chia, C-F, 452
 Chiang, S B, 380
 Chin, R, 813
 Choong, K K L, 348
 Chopra, M K, 534
 Chou, R-L, 243
 Choudhry, V P, 403
 Chouraqui, P, 352
 Chrestian, M, 268
 Chu, C-C, 264
 Chu, Y-K, 859
 Chuang, F-J, 217
 Chuang, Y-W, 326
 Clark, P, 681
 Clarke, S E M, 450
 Cleper, R, 99
 Cohade, C, 786
 Cohen, H I, 445
 Cohny, S J, 592
 Cole, R L, 514, 758
 Comte, F, 194
 Conan-Charlet, V, 789
 Connolly, L P, 41, 614, 689, 801, 823
 Connolly, S A, 41, 614, 689, 801, 823
 Conrad, G R, 367, 717
 Constable, C J, 206
 Conti, P S, 770
 Contreras, P I, 781
 Cooke, C D, 243
 Corat-Simon, J, 115
 Corone, C, 752

Coulden, R, 494, 732
 Coyle, L, 275
 Csernay, L, 55
 Cynamon, J, 96

D

Dadapdarvar, S, 756
 D'agnolo, A, 848
 Danus, M, 214
 Darteville, P, 752
 Das, B K, 392
 Davidovits, M, 99
 Davis, E, 531
 Dayanc, M, 382
 de Bruin, H G, 793
 Degdegui, M, 249
 Delbeke, D, 86
 del Sol Pérez-Lago, M, 214
 Demakopoulos, N, 121
 De Mey, J, 652
 Demirkol, M O, 332
 De Montpreville, V, 752
 Desco, M, 844
 Deswal, S, 392, 768
 Devi, R T, 388
 De Virgala, M C, 214
 Dhanpati, 167
 Dias, K, 545
 Dickstein, K, 255
 Dirlik, A, 649
 Dixon, H, 262
 Dominguez, L, 63
 Domínguez, P, 844
 Doyle, A, 380
 Drezner, M, 542
 Drivas, I, 201, 659
 Drubach, L A, 41, 689, 801, 823
 Dündar, S, 538
 Dunleavy, K, 35
 Dutta, M, 595
 Dutton, J A E, 469
 Dwamena, B A, 805

E

Eisenstein, B, 99
 El-Zeftawy, H, 698
 Emmett, L, 803
 Eng, D N C, 164
 Epstein, M, 426
 Erdogan, S, 125
 Ergun, E L, 296, 502
 Eroglu, A, 306
 Ersoy, K, 447
 Ersoz, M, 65
 Eryilmaz, A, 27
 Espinola, D, 617
 Essabbah, H, 249
 Esser, J-P, 793
 Everaert, H, 652

Ezirmik, N, 519

F

Faber, T L, 243
Fagen, K, 758
Fagundes, T A, 795
Fajon, O, 194
Falay, O, 27
Fan, Y-M, 264
Feola, M, 117
Fernandez, J P S, 63
Ferrando, M J, 214
Ferrero, V, 117
Fig, L M, 805
Finlay, M D, 831
Firat, M F, 631
Fletcher, T M, 617
Forero-Torres, A, 600
Forkheim, K E, 578
Franc, B, 741
Francini, A, 117
Francis, D M A, 592
Franken, P R, 652
Freeman, L M, 96
Freund, J, 318
Friis, E, 840
Frühwald, F, 204
Frydman, J, 542
Fuchs, H E, 578
Fujii, H, 554
Fujii, M, 712
Fujikawa, A, 53, 372
Fujikawa, Y, 836
Fukuda, H, 825
Fulham, M J, 68, 206, 266, 846

G

Galt, J R, 218
Gambhir, S, 768
Gamie, S, 39
Garcia, C A, 196
Garcia, E V, 243
Garcia, L, 63
Garty, I, 110
Gates, G F, 231
Gedik, G K, 538
Gemmell, F, 635
Gençhellaç, H, 760
Georgoulas, P, 121
Gett, M, 762
Getzen, T M, 296, 415, 572
Ghesani, M, 93
Giakovis, E, 300
Gibson, R, 592
Gips, S, 255
Giraud, P, 841
Giri, M, 635
Goddard, M, 732
Goethals, I, 635
Gögüs, O, 154
Gomez, A, 781

Goris, M, 741
Gossage, J R, 581
Goulart, D M, 194
Goyenechea, M, 346, 598
Gradinscak, D J, 68, 206
Graves, A, 587
Greenspan, B, 834
Gremmels, J M, 694
Gross, M D, 516, 805
Grossman, G B, 218
Groves, A M, 450
Guelfucci, B, 268
Gunalp, B, 817
Gunawardana, D H, 81
Gupta, P, 750
Gupta, V, 506, 562

H

Hain, S F, 585
Hakozaki, Y, 53
Halkar, R K, 218, 735
Haloi, A K, 167
Ham, H, 479
Hamerlynek, N, 635
Hanif, M Z, 93
Hankui, L, 177
Hardoff, R, I, 292
Harris, G, 644
Hashimoto, J, 554
Haskok, S N, 48
Hassine, H, 249
Hauet, J R, 194
Hayashi, K, 362
Hayes, S W, 848
Heffernan, A J, 781
Heiba, S I, 698
Henderson, R, 39, 770
Henley, T, 322
Herfkens, R, 741
Hesse, B, 840
Hickeson, M P, 410
Hickey, K T, 243
Hicks, R, 809
Hiramori, K, 597
Ho, Y Y, 533
Hod, N, 115, 272, 560, 720
Hoffman, M, 861
Holtzman, S R, 419
Holzhauer, M, 717
Honda, H, 362
Horne, T, 115, 272, 560, 720
Hoscoskun, C, 649
Hosoi, H, 372
Howman-Giles, R, 762
Hsiao, E, 119, 275, 498
Hsieh, H-J, 859
Hsu, C-C, 326
Hsu, C-H, 452
Hsu, J L, 475
Huang, H-T, 667
Huang, Y-F, 326
Hughes, P D V, 592

Hunsche, A, 149, 218
Hutchins, E B, 587
Huynh, T, 119, 275, 498

I

Ichimiya, A, 362
Ilgan, S, 382, 738, 817
Ingvar, C, 840
Ioannidis, G, 121
Iqbal, A, 723
Irfan, E, 447
Ishioka, C, 825
Iwata, R, 825
Izquierdo, V, 214

J

Jacene, H A, 786
Jacobs, F, 635
Jacobs, M, 327
Jadvar, H, 39
Jager, P L, 590, 609
Jain, M, 51, 370, 578, 748
Jallet, P, 841
Jerushalmi, J, 445
Jeurissen, F, 343
Jifang, Z, 177
Jitsu, M, 712
Joh, C-W, 856
Jong, I, 809
Joseph, J A, 488
Joyrich, R N, 296, 415, 572, 646
Jun, Z, 177
Juven, Y, 272

K

Kadioglu, A, 332
Kagie, M J, 343
Kallab, A M, 581
Kanamaru, R, 825
Kaneke, K, 362
Kannangara, S, 465
Kantarci, A M, 519
Kantarci, M, 70
Kao, C-H, 124, 217, 281, 329
Karacalioglu, O, 382, 738, 817
Karaman, R, 27
Karimeddini, M K, 196
Kasai, T, 93
Kashyap, R, 51, 303, 534, 595
Katz, D S, 289, 370, 654, 748, 852
Kaya, H, 456
Keller, K, 5
Kenna, D M, 723
Kennedy, M, 754
Khan, A U, 756
Khan, J, 410
Khohtali, H, 249
Khouri, J, 445
Kim, C K, 346, 598
Kim, M-W, 126, 312, 706

Kim, N, 852
Kim, S M, 727
Kim, S Y, 112, 745
Kimbrough, R, 576
Kirk, G A, 694
Kishan, S, 303
Kitagawa, Y, 825
Kleinpeter, K, 681
Knight, S, 657
Kodama, T, 504
Koester, O, 548
Koga, H, 362
Kokkini, G, 121
Komek, H, 456
Konez, O, 48
Koniaris, G, 485
Konidaris, G, 552
Kosuda, S, 72, 712, 836
Kramer, E, 750
Krause, I, 99
Krenning, E P, 793
Krug, B, 91, 767
Krynyckyi, B R, 346, 598
Kubo, A, 554
Kubota, K, 825
Kulkarni, K, 727
Kumar, A, 262, 403
Kumar, R, 167, 238, 324, 392, 429, 449, 506, 562, 567, 637, 685, 768, 807
Kung, J, 279, 496, 620
Kuo, C-L, 667
Kuo, T-H, 667
Kurien, R, 815
Kusano, S, 72, 712, 836
Kuwabara, Y, 362
Kwak, J-Y, 126, 706

L

Lacrosse, M, 767
Laflamme, L, 799
Lafuente, J, 844
Lahoutte, T, 652
Lange, G, 43
Laski, M, 576
Lau, E, 809
Law, I, 840
Lee, B, 279
Lee, B Y, 620
Lee, C-M, 452
Lee, H-S, 198
Lee, M-H, 574, 856
Lee, S H, 300
Leitha, T, 204
Le Jeune, J-J, 841
Lemer, J, 445
Lemstra, C, 609
Leonardi, G, 117
Lerer, D B, 96
Leroy-Ladurie, F, 752
Le Stanc, E, 821
Libo, C, 177

Lichtenstein, M, 81
 Liebeskind, D S, 620
 Lilien, D L, 322
 Lim, I, 346
 Lim, J, 745
 Lim, S T, 126, 312, 706
 Lin, C-Y, 217
 Lin, S-H, 859
 Lin, W-P, 667
 Lin, Y-H, 452
 Littrup, P J, 415, 646
 Liu, R-S, 859
 Livschitz, S, 352
 Llana, B, 63
 Loberant, N, 445
 London, D, 426
 Loneragan, R, 320, 465
 Lonovics, J, 55
 Lovato, J, 681
 Lurie, Y, 255
 Lussato, D, 268
 Luyx, D, 767

M

MacDonald, W B G, 703
 Mack, E, 21
 Mackie, G C, 516, 569, 743, 805
 Madácsy, L, 55
 Maeda, D, 712, 836
 Mahone, T, 600
 Mahy, N, 91
 Maia, F F R, 358
 Maisey, M N, 1
 Malhotra, A, 167, 403
 Mallari, P M, 112
 Mansberg, R, 119, 201, 275, 498, 517, 659
 Margouleff, D, 709
 Markov, G, 831
 Martin, W H, 86
 Martin-Comin, J, 781
 Martinez, R, 386
 Martínez-Lázaro, R, 844
 Masahiro, K, 597
 Matsukuma, S, 53
 Matthies, A, 316
 Mavi, A, 807
 Mayerhoff, R, 426
 McCook, B M, 161
 Melchior, W R, 522
 Meltzer, C C, 161
 Meyer, B J, 43
 Meyerrose, G, 576
 Meyka, S, 316
 Milan, P, 564
 Mills, C, 698
 Minotti, A J, 5
 Mittal, B R, 454
 Moalem, I, 352
 Modi, D, 846
 Mohamed, A, 68, 206, 846
 Mohan, H K, 450

Momose, T, 838
 Mondal, A, 534
 Mor, E, 292
 Mor, M, 255
 Morel, O, 841
 Moretti, J-L, 251
 Morris, S J, 813
 Mortzos, G, 121
 Moskowitz, G W, 864
 Motroni, B, 289
 Mourad, M S, 552
 Mudun, A, 27, 306
 Munder, O, 268
 Muranaka, K, 597
 Murat, A O, 447
 Muslumanoglu, M, 306
 Muthukrishnan, A, 600
 Muyille, K, 652
 Muzzio, P C, 662

N

Nagamine, M, 597
 Nagy, I, 55
 Nair, N, 626
 Nakagawa, M, 362
 Nakahara, T, 554
 Naldoken, S, 60
 Nandkumar, U, 502
 Naoi, Y, 53, 372
 Nelson, E N, 394
 Nelson, R L, 270
 Newberg, A B, 620
 Nguyen, B D, 45, 491, 640, 828
 Nguyen, C, 752
 Nguyen, D T K, 745
 Nguyen, J D, 35
 Nguyen, M, 735
 Nichols, K, 243
 Nishiyama, O, 597
 Nouh, F, 552

O

Oates, E, 181
 Oates, M E, 394
 Obradović, V, 670
 O'Connell, M, 578, 754
 O'Connor, R A, 375
 Oei, H Y, 793
 Ogawa, M, 597
 Ogomori, K, 362
 Ohtomo, K, 838
 Ojha, B, 600
 Okajima, T, 597
 O'Keefe, D, 723
 Oktay, H, 65
 Ollenberger, G P, 37, 277, 657
 Ong, S C, 164
 Ortapamuk, H, 60, 725
 Ozbek, S S, 649
 Ozcan, Z, 649
 Özgül, O, 21

Ozguven, M A, 382, 738, 817
 Ozkan, B, 519
 Ozmen, V, 306
 Ozturk, E, 738

P

Padrão, E L, 358, 795
 Paeds, D, 465
 Pagetta, C, 662
 Pan, M-H, 329, 442
 Pancholy, A, 581
 Papadaki, T, 121
 Park, L S, 516
 Pascau, J, 844
 Pávics, L, 55
 Pecking, A P, 752
 Pelizzo, M R, 662
 Penna, G C, 795
 Perera, C, 803
 Perišić-Savić, M, 670
 Perlman, S, 21
 Perrier, N, 681
 Perry, A, 320
 Peters, A M, 469
 Petrović, M, 670
 Phan, T T H, 590
 Phisitkul, S, 576
 Phom, H, 403
 Piotto, A, 662
 Pirson, A-S, 91, 767
 Pitsis, G, 465
 Ponn, R, 300
 Ponzo, F, 750
 Poon, A M T, 277
 Poot, L, 609
 Popli, M, 595
 Potenta, S, 449, 496
 Pour, M C, 115, 272
 Powell, W, 502
 Pradhan, P K, 392
 Prasad, V, 454
 Press, H, 149
 Pujol, A, 214
 Purisch, S, 358, 795

Q

Quanyong, L, 177
 Qureshi, S, 410

R

Radan, L, 255
 Rahman, A M, 390
 Raja, S, 545
 Ramachandaran, S, 756
 Raman, A K, 600
 Ramaswamy, M R, 322
 Ramdave, S, 809
 Rao, S K, 300
 Rastogi, S, 506
 Ravizzini, G, 735

Rawat, H, 51
 Reddy, M P, 322, 386
 Reed, M D, 831
 Rehm, P K, 849
 Reigman, H I E, 335
 Reinhardt, M, 316
 Restrepo, J M, 440
 Reyhan, M, 129
 Rezende, L, 358, 795
 Ribichini, F, 117
 Roach, P, 119, 275, 498
 Roarke, M C, 491
 Roberts, J M, 201
 Robinet, G, 789
 Robinson, D, 115
 Rodriguez, O, 243
 Rohmer, V, 841
 Rohren, E M, 664
 Roiz, C, 63
 Rondogianni, P, 485
 Rosário, P W S, 358
 Rosenberg, R J, 531
 Rosenthal, M, 81
 Rozenblit, A M, 96
 Rubello, D, 662
 Ruisen, Z, 177
 Russell, P A, 348

S

Sachdev, P, 595
 Saeed, S, 270
 Sahin, A, 854
 Sahoo, M, 534
 Sahu, M, 51
 Saito, M, 597
 Sala, E, 494, 732
 Saleh, H, 762
 Salem, R, 799
 Samayoa, L, 171
 Sand, A, 479
 Sandbank, J, 115
 Sane, S, 545
 Saran, R K, 303
 Sarswat, V, 768
 Sasaki, M, 362
 Satoh, H, 504
 Satya, R, 600
 Sawroop, K, 534
 Scanga, D R, 86
 Schaffstein, J, 548
 Schlag-Eisenberg, D, 255
 Schmid, G, 548
 Schöder, H, 811
 Schoellhammer, M, 548
 Schuster, D M, 735
 Schuster, S J, 685
 Sciacca, R R, 243
 Seigel, B, 698
 Sekine, H, 712
 Sekizawa, K, 504
 Senthilnathan, M S, 392
 Seven, B, 65, 519, 854

Sewatkar, A B, 768
 Seymen, H, 332
 Shah, A A, 93
 Shah, L, 5
 Shah, R, 426
 Shaman, M, 296
 Shankar, L R, 534
 Sharma, R, 534, 595
 Sharma, S, 849
 Shechter, M, 352
 Shelton, B, 587
 Shen, Y-Y, 124, 281, 475
 Sherman, M S, 756
 Shih, W-J, 171, 564
 Shim, J, 346, 598
 Shima, K, 72
 Shin, L, 654
 Shipes, S W, 578
 Shnaider, A, 110
 Shun, C-T, 442
 Siegel, A, 419
 Siegel, H J, 765
 Silverman, E D, 514, 758
 Singh, A, 834
 Sinha, P, 367, 717
 Sinha, S, 303, 367
 Sippel, R S, 21
 Siurana, R, 214
 Skehan, S J, 469
 Slart, R H, 590
 Slavin, J D, Jr, 734
 Slavin, J J, Jr., 629
 Slizofski, W, 861
 Smith, A, 517
 Smith, J R, 181
 Snyder, S P, 522
 Sohn, M-H, 126, 312, 706
 Solav, S, 12
 Solis, V, 531
 Soloff, E, 390
 Sonet, A, 91
 Sood, A, 392, 698, 768
 Sood, R, 103
 Souza Do Rosário, P W, 795
 Spencer, R P, 103, 196, 531, 629, 734
 Stanek, A, 426
 Starling, J, 21
 Steiner, E, 204
 Steinmetz, A P, 1
 Stokkel, M P M, 335

Storey, G, 465
 Strane, T, 545
 Studentsova, Y, 709
 Su, H, 750
 Suleyman, K, 447
 Sun, S-S, 217
 Sundram, F X, 164
 Suvajdzic, N, 670
 Szepes, A, 55
 Szwarc, G, 262

T

Tainturier, C, 821
 Takalkar, A, 637
 Takao, H, 378, 838
 Talati, E, 209
 Talsma, M D, 590
 Talwar, A, 426
 Tamgac, F, 251
 Tamura, T, 53, 372
 Tan, K G, 642
 Tang, S-S, 198
 Taub, J W, 415
 Tauro, A J, 657
 Taylor, A, 149
 Taylor, R E R, 211
 Tercan, F, 129
 Thanakrishnan, K, 803
 Thomas, A, 834
 Thomas, S K, 730
 Thoreux, P, 251
 Tieu, K, 514
 Ting, A, 318
 Tislavicz, L, 55
 Tofighi, M, 251
 Tondeur, M, 479
 Tong, C M, 105, 509
 Torok, F S, 161
 Toz, H, 649
 Tozoglu, S, 65
 Treves, S T, 41, 689
 Trieu, J, 803, 813
 Trikha, V, 506, 562
 Tripathi, M, 403
 Trow, T, 289, 370
 Tsai, S-C, 667
 Tsai, Y-C, 442
 Tubman, G, 96
 Türkmen, C, 760
 Türkölmez, K, 154

Türkölmez, S, 154
 Tuzcu, S A, 456
 Tuzlali, S, 306

U

Ueshima, K, 597
 Uğur, O, 538
 Ünal, S N, 760
 Ünal, Z, 760
 Uren, R F, 762
 Uslenghi, E, 117
 Uslu, H, 65, 70

V

Vander Borcht, T, 91, 767
 Vanderschueren, G, 635
 Van Der Wall, H, 320, 465, 552, 803, 813
 van Luijk, I F, 343
 Varela, J E, 270
 Varma, M, 745
 Varoglu, E, 65, 70, 519, 854
 Velösy, B, 55
 Venter, E K, 43
 Vento, J A, 103
 Vetter, C L, 629, 734
 Vicente, A G, 781
 Vijayakumar, V, 390
 Vilain, D, 821
 Visvanathan, S, 552
 Visvikis, D, 789
 von Rothenburg, T, 548

W

Wahl, R L, 786
 Wang, H-C, 475
 Wartski, M, 752
 Watanabe, T, 378
 Waxman, A D, 848
 Webb, M, 713
 Webster, G C, 646
 Weigel, R J, 727
 Weimann, P, 251
 Weng, L-J, 444, 811
 Westcott, J D, 592
 Westphal, S, 415, 502
 Williams, H T, 581
 Wilson, M, 21
 Wishart, G C, 730

Wong, C L, 266, 517, 659
 Wong, C P, 105, 509
 Wong, K T, 522
 Wong, T Z, 578
 Wooldridge, T, 681
 Wu, H-S, 667
 Wu, Y-W, 329, 442

X

Xiu, Y, 209, 496, 567, 637

Y

Yamaguchi, K, 825
 Yamahira, K, 378
 Yamaura, G, 825
 Yapar, A F, 129
 Yarram, S G, 743
 Yavuz, E, 306
 Yen, R-F, 329, 442
 Yi, A, 327
 Yildirim, M, 65, 70, 519, 854
 Yim, C-Y, 126, 706
 Yoon, J-K, 574, 856
 Yoon, S-N, 574, 856
 Yoshida, E, 741
 Yoshioka, T, 825
 Young, T-H, 198
 Youssef, I M, 698
 Yu, C-Y, 264
 Yu, J Q, 209, 279, 324, 496, 567, 637, 685
 Yung, E, 370, 654, 748, 852
 Yurekli, Y, 125

Z

Zaina, A, 445
 Zak, I T, 296, 415, 572, 646
 Zamani, R, 386
 Zanaret, M, 268
 Zanzi, I, 644
 Zeidán, N, 63
 Zerín, J M, 502, 646
 Zhibin, Y, 177
 Zhuang, H, 209, 238, 279, 324, 380, 429, 449, 496, 567, 637, 685
 Zingas, A P, 296, 415, 572, 646
 Ziv, N, 99
 Zonzin, G C, 662

Subject Index

A

Abdomen, *Nocardia* abscess in, Tc-99m HMPAO leukocyte scan of, 270-271
 Abscess, Tc-99m HMPAO leukocyte scan of in intraabdominal *Nocardia*, 270-271 retrosternal, 194-195
 Acetabular labral tears, bone scintigraphy of, 465-468
 Acromegaly, ectopic, pituitary growth hormone-releasing hormone producing tumor localized by In-111 pentetate scintigraphy, 841-843
 Actinomycosis, anorectal fistula with, F-18 FDG PET of, 452-453
 Acute respiratory distress syndrome F-18 FDG PET/CT of, 786-788 secondary to lupus myocarditis, ventilation-perfusion scan in, 831-833
 Adipose tissue brown, PET/CT fusion in, 5-11 FDG uptake in, regions of (ab), 133
 Adrenal gland colon cancer metastasis to, F-18 FDG PET of, 444 lung carcinoma metastasis to, FDG PET prediction of (ab), 132
 Adrenal hemorrhage, blood pool scintigraphy localization of, 96
 Adrenocortical adenoma, benign, F-18 FDG PET, CT, and MRI or, 300-302
 Alzheimer's disease, cingulate hypoperfusion in, Tc-99m HMPAO SPECT of, 362-366
 Ammonia, N-13, gated cardiac PET using, 243-248
 Aneurysm, dissecting thoracic aortic, perigraft leak and thrombus in, F-18 FDG PET of, 750-751
 Angiography, absence of epicardial disease on, transient left ventricular dilatation in, 348-351
 Angioneurotic edema, in toxic reaction to lignocaine, bone scan after, 43-44
 Anorectal fistula, actinomycosis with, F-18 FDG PET of, 452-453
 Anosmia, after head trauma, perfusion brain imaging vs. MRI of (ab), 135
 Antigranulocyte monoclonal antibody fragment Fab'2. See Technetium-99m sulesomab imaging
 Aortic aneurysm, dissecting thoracic, perigraft leak and thrombus in, F-18 FDG PET of, 750-751
 Aortic valve, bioprosthetic, myocardial abscess around, dual Tc-99m sestamibi and Ga-67 SPECT localization of, 799-800
 ARDS. See Acute respiratory distress syndrome
 Arteritis, giant cell, F-18 FDG PET of, 617-619
 Arthritis, septic florid polyarticular gout mimicking, 262-263 of hip, ischium osteomyelitis complicated with, 552-553

Arthroplasty, infected total, Tc-99m antigranulocyte-antibody Fab' fragment imaging of, 548-551
 Artifacts, iatrogenic, on whole-body F-18 FDG PET, 429-439
 Ascites, hydrocele with, peritoneal scintigraphic detection of, 326
 Aspiration pneumonia, lung F-18 FDG uptake in, in PET imaging, 567-568
 Atelectasis, Tc-99m MDP bone scan detection of, 70-71
 Atherosclerotic plaque, F-18 FDG uptake in, 93-95
 Athletes, low back pain in, skeletal scintigraphy of, 689-693
 Attenuation correction, in Tl-201 SPECT, in assessing myocardial infarction size, 352-357
 Axilla, contralateral, sentinel nodes in, in breast cancer, 346-347
 Azotemia, diuresis renography in, furosemide dose in, 149-153

B

B cell lymphoma, in fever of unknown origin, F-18 FDG PET and Ga-67 scintigraphy of, 859-860
 Baclofen pump function, Tc-99m DTPA and In-111 DTPA imaging of, 578-580
 Basal ganglia lesions, in diabetic uremia, F-18 FDG PET of, 475-478
 Beta-thalassemia, PET in, splenic FDG uptake in, 266-267
 Bicycle riding, soft tissue Tc-99m MDP accumulation caused by, 279-280
 Biliary cirrhosis, myopathy in, bone imaging of, 725-726
 Biliary leak, on Tc-99m DIDA SPECT/CT, 642-643
 Bioprosthetic aortic valve, myocardial abscess around, dual Tc-99m sestamibi and Ga-67 SPECT localization of, 799-800
 Bioprosthetic mitral valve, recently implanted, F-18 FDG uptake in, 848
 Bladder crescent-shaped Tc-99m MDP accumulation in, 447-448 diverticuli in, skeletal scintigraphy of, 517-518 hernia in, simulating metastatic lesion, on F-18 FDG PET, 767
 Bleeding gastrointestinal. See Gastrointestinal bleeding spontaneous retroperitoneal, localization by blood pool scintigraphy, 96
 Blood pool scintigraphy, retroperitoneal hemorrhage localization by, 96
 Bone fibrous dysplasia of, radionuclide bone scintigraphy in, 177-180 peripheral, prostate cancer metastases to, 335-336 tetrofosmin uptake by, on myocardial perfusion imaging, in multiple myeloma diagnosis, 327-328
 Bone cyst, bone scintiscanning of, 12-20
 Bone imaging of acetabular labral tears, 465-468 of acute NSAID-induced renal failure, 316-317 of bilateral triceps rhabdomyolysis, 110-111 of bladder diverticuli, 517-518 of bone-seeking agent biodistribution, in iron overload, 214-216 of breast carcinoma osseous metastasis, PET/CT vs. (ab), 222 of chondroblastic osteosarcoma, 115-116 of cleidocranial dysplasia, 65 of colonic diverticulitis, correlation with CT, 564-566 focal thyroid uptake on, caused by thyroid biopsy, 849-851 of giant cell tumor, 509-513 of idiopathic hyperphosphatasia, 519-521 of metacarpal head idiopathic osteonecrosis, 631-632 of mixed medullary-follicular thyroid carcinoma metastasis, 303-305 of myopathy in biliary cirrhosis, 725-726 of nonossifying fibroma in stress-induced fracture, 41-42 of Ollier disease with synchronous multicentric chondrosarcoma, 45-47 of osteitis condensans ilii, 320-321 of osteolytic lesions, 12-20 in osteopikilosis, 856-858 in post-traumatic knee pain, spondyloarthropathy diagnosis from, 251-254 prostatic metastasis vs. polycythemia on, 375-377 radionuclide, in fibrous dysplasia of bone, 177-180 of Raynaud's syndrome secondary to fibromuscular dysplasia, 316-317 of renal and adjacent rib infection, 720-722 of rib stress fractures, 614-616 of secondary myelofibrosis in disseminated tuberculosis before and after therapy, 706-708
 SPECT. See Single-photon emission computed tomography
 Tc-99m. See Technetium-99m entries
 three-phase mixed form lymphatic malformation of foot on, 48-50 of post-talar fracture reflex sympathetic dystrophy, 560-561 after toxic lignocaine reaction, 43-44 tumoral calcinosis on, 821-822 of visceral calcification, 332-334 whole-body, in McCune-Albright syndrome long-term follow-up, 712 of young athletes with low back pain, 689-693

Bone lesion, in ovarian cancer, F-18 FDG PET of, 204–205

Bone marrow uptake, diffuse, on whole-body F-18 FDG PET, in patient taking recombinant erythropoietin, 161–163

Bone-seeking agents, biodistribution in iron overload, 214–216

Book review, *Clinical Atlas of PET: With Imaging Correlation*, by Michael S. Kipper and Marie Tartar. Reviewed by Gerard W. Moskowitz, M.D., 864

Breast, ovarian carcinoma metastasis to, Tc-99m MDP scan of, 167–170

Breast cancer/carcinoma

- contralateral axilla sentinel nodes in, 346–347
- metastatic
 - osseous, PET/CT vs. bone scintigraphy of (ab), 222
 - sentinel lymph node involvement in (ab), 137
- recurrent, Tc-99m tetrofosmin myocardial scintigraphy of, 597
- recurrent/metastatic, F-18 FDG PET vs. other imaging modes in (ab), 139
- recurrent/primary, alternative lymphatic pathway after axillary node dissection in, 698–702
- response to neoadjuvant chemotherapy, Tc-99m tetrofosmin scintimammography of (ab), 137
- segmental contour mapping pattern in, 745–747
- sentinel lymph node involvement in (ab), 137
 - bilateral axillary, 840
 - detection with LEAP or MEAP collimator, 609–613
 - lymphoscintigraphy injection technique in, 306–311

Breast implant capsule, activity layering around, on lymphoscintigraphy, 598–599

Bronchiolitis obliterans organizing pneumonia, multiple pulmonary nodule hypermetabolism on F-18 FDG PET in, 654–656

Bronchobiliary fistula, as liver metastasis complication, HIDA scan of, 289–291

Bronchogenic cyst, incidental F-18 FDG PET of, 494–495

Bronchopulmonary carcinoid tumors, F-18 FDG PET/CT of, 752–753

Brown adipose tissue, PET/CT fusion in, 5–11

Bull rider's myositis, Tc-99m MDP imaging of, 514–515

Burkitt's lymphoma

- of head and neck, serial F-18 FDG PET imaging of, 646–648
- pediatric, Tc-99m pertechnetate accumulation in, with tumor-induced intussusception, 264–265

C

Calcareous, tuberculosis of, Tc-99m MDP scintigraphy of treatment response, 506

Calcification, visceral, bone scintigraphy of, 332–334

Captopril angiography, before and after angioplasty, in fibromuscular dysplasia of renal artery (ab), 137

Captopril renograms, of renovascular hypertension, interpretation reproducibility of, 479–484

Carbon-11 methionine uptake, in granulomatous disease, 585–586

Cardiac. *See also* Heart; Left ventricular entries; Myocardial entries

Cardiac imaging, gated

- pelvic varices identification on, 748–749
- using N-13 ammonia, 243–248

Cardiac shunt, left-to-right, diagnosed on renal Tc-99m MAG3, 762–764

Cardiac studies, Tc-99m RBC distribution in liver and spleen during (ab), 136

Catheter

- focal FDG activity related to, on whole-body F-18 FDG PET, 238–242
- intrathoracic, parathyroid adenoma retained at tip of, Tc-99m MIBI of, 734

Central line injection artifact, simulating paratracheal adenopathy, on F-18 FDG PET, 735–737

Cerebrospinal fluid input and output kinetics, pleural, In-111 DTPA myelography of, 836–837

Cerebrovenous infarct, mimicking infiltrative glioma, 68–69

Cervical uptake, of I-131, postsurgical radioiodine ablation and, 358–361

Chemotherapy

- neoadjuvant, in breast cancer, Tc-99m tetrofosmin scintimammography of (ab), 137
- prostate cancer resistant to, strontium-89 results in, 81–85

Chest wall, soft tissue hematoma in, Tc-99m MDP uptake in, 454–455

Children, Burkitt's lymphoma in, Tc-99m pertechnetate accumulation in, with tumor-induced intussusception, 264–265

Cholecystitis, chronic, F-18 FDG PET of, 496–497

Choledochal cyst, spontaneous rupture of, hepatobiliary scintigraphy of, 392–393

Chondroblastic osteosarcoma, scintigraphic appearance of, 115–116

Chondrosarcoma, synchronous multicentric, Ollier disease with, 45–47

Chylothorax, lymphoscintigraphy and radionuclide venography in, 440–441

Cingulate hypoperfusion, in Alzheimer's disease, Tc-99m HMPAO SPECT of, 362–366

Cirrhosis

ascites and hydrocele in, peritoneal scintigraphic detection of, 326

biliary, myopathy in, bone imaging of, 725–726

hypersplenism in, eleven-year follow up of (ab), 137

Clarithromycin, simvastatin interaction with, rhabdomyolysis resulting from, Tc-99m MDP imaging of, 803–804

Clavicular defect, bone scintigraphy of, 65

Cleidocranial dysplasia, bone scintigraphy of, 65

Cocaine, pulmonary vasospasm induced by, ventilation perfusion scan of, 756–757

Colloid scintigraphy, of veno-occlusive disease in liver transplantation, 292–295

Colon, urine extravasation into, Tc-99m DTPA scintigraphy of, 198–200

Colon cancer/carcinoma, F-18 FDG PET of in metastasis to adrenal gland, 444

in metastasis to ovaries, 322–323

Colonic diverticulitis, bone scan of, correlation with CT, 564–566

Colorectal cancer/carcinoma, metastatic to liver, PET/CT detection of (ab), 222

Tc-99m DMSA uptake by, 485–487

Computed tomographic angiography (CTA), spiral, after lung scintigraphy, pulmonary embolism diagnosis from, 255–261

Computed tomography (CT)

- of benign adrenocortical adenoma, 300–302
- of bronchopulmonary carcinoid tumors, 752–753
- colonic diverticulitis bone imaging correlation with, 564–566
- in Meckel's diverticulitis diagnosis, 823–824
- of perineural spread of skin carcinoma to base of skull, 717–719
- scintigraphy with, in localization of recurrent parathyroid carcinoma, 681–684
- of splenic involvement by lymphoma, FDG PET vs. Ga of (ab), 132
- and Tc-99m MAA imaging, of superior vena cava obstruction with intrahepatic and right-to-left shunts, 491–493
- Virchow's node on, 770–772

Computed tomography (CT)/PET fusion. *See* Positron emission tomography (PET)/computed tomography (CT)

Congenital absence of right pulmonary artery, false-positive lung scan in, 659–661

Congenital hepatic fibrosis, with postcholecystectomy syndrome, hepatobiliary scintigraphy of, 55–59

Contour mapping pattern, segmental, in breast cancer, 745–747

Coronary artery disease, papillary muscle ischemia in, on PET, 1–4

Corticosteroid coinjection, with radiosynoviothrosis in hemophilia, 538–541

Cranial nerve XII paralysis, tongue muscle F-18 FDG uptake as marker for, 531–533

Crura, FDG uptake in, during hyperventilation, 296–299

Cryptococcal meningitis, pericarditis associated with, Ga-67 scintigraphy in, 119–120

Cytokines, F-18 FDG uptake by, mimicked by diffuse bone marrow FDG accumulation in chronic myeloid leukemia, 637–639

Cytomegalovirus pneumonia, F-18 FDG PET of, 569–571

D

Dactylitis, tuberculous, involving middle finger, Tc-99m MDP imaging of, 312–315

Dementia, cingulate hypoperfusion in, Tc-99m HMPAO SPECT of, 362–366

Diabetic uremia, basal ganglia lesions in, F-18 FDG PET of, 475–478

Diaphragm, FDG uptake in, during hyperventilation, 296–299

Diarrhea, chronic, from VIPoma, 201–203

Diuresis renography. *See also* Renal imaging furosemide dose in, in azotemia and obstruction, 149–153

of hematoma after renal transplantation, 380–381

protocols for, in dilated upper urinary tract, 154–160

Diverticuli, bladder, skeletal scintigraphy of, 517–518

Diverticulitis

colonic, bone scan of, correlation with CT, 564–566

Meckel's, diagnosis with CT and Tc-99m pertechnetate scintigraphy, 823–824

Duodenal ulcer, chronic, urine extravasation into colon from, Tc-99m DTPA scintigraphy of, 198–200

E

Embolism, pulmonary, caused by hydatid cyst, 760–761

Emphysema, bullous, placental transmigration of lung in, perfusion scintigraphy of, 445–446

Encephalitis, suspected, F-18 FDG PET in, 620–625

Enthesopathy, mimicking intertrochanteric fractures, on Tc-99m MDP scan, 815–816

Eosinophilic granuloma, bone scintiscanning of, 12–20

Epidural metastasis, PET/CT fusion of, 39–40

Epithelioid hemangioendothelioma, F-18 FDG PET of, 789–792

in liver, 828–830

pulmonary, 758–759

Erythropoietin, recombinant, whole-body F-18 FDG PET of patient taking, diffuse bone marrow uptake on, 161–163

Esophageal motor disorder, diagnosis by esophageal transit scintigraphy, 768–769

Esophageal transit scintigraphy, esophageal

motor disorder diagnosed by, 768–769

Exercise renography, in hypertension, 27–34

Eye, thyroid carcinoma metastasis to, preoperative scintigraphy of, 249–250

F

Fat necrosis, pericardial, Ga-67 uptake in, 378–379

Fever of unknown origin, with underlying B cell lymphoma, F-18 FDG PET and Ga-67 scintigraphy of, 859–860

Fibroma, nonossifying, in stress-induced fracture, 41–42

Fibromuscular dysplasia

Raynaud's syndrome secondary to, bone scintigraphy of, 316–317

of renal artery, captopril angiography of, before and after angioplasty (ab), 137

Fibromyxoid sarcoma, F-18 FDG PET of, 581–584

Fibrosis, progressive massive, secondary to pulmonary silicosis, F-18 FDG PET/CT of, 754–755

Fibrous dysplasia

of bone

radionuclide bone scintigraphy in, 177–180

scintiscanning of, 12–20

of skull, bone SPECT of, 554–559

Fibula, stress fracture of, and confounding myositis ossificans, bone imaging of, 813–814

Filtration fraction, in radionuclide renography with DTPA and MAG3, 231–237

Finger

clubbing of, on Tc-99m MDP bone scintigraphy of scaphoid fracture, 450–451

middle, tuberculous dactylitis involving, Tc-99m MDP imaging of, 312–315

Fludarabine therapy, lack of hepatic Ga-67 uptake after, 275–276

Fluorine-18 labeled deoxyglucose (FDG) accumulation

in bone marrow, in chronic myeloid leukemia, mimicking cytokine FDG uptake on PET, 637–639

in inguinal herniation, mimicking metastatic disease, 652–653

Fluorine-18 labeled deoxyglucose (FDG) imaging, of failed cemented hip arthroplasty (ab), 134

Fluorine-18 labeled deoxyglucose (FDG) leukocyte scan, for detecting infection, In-111 labeling vs. (ab), 134

Fluorine-18 labeled deoxyglucose (FDG) positron emission tomography (PET) adipose tissue FDG uptake in, regions of (ab), 133

of anorectal fistula with actinomycosis, 452–453

of ARDS, 786–788

of B cell lymphoma in fever of unknown origin, 859–860

of basal ganglia lesions, in diabetic uremia, 475–478

of benign adrenocortical adenoma, 300–302

in beta-thalassemia, splenic FDG uptake in, 266–267

of bilateral ovarian metastases from colon carcinoma, 322–323

of bronchopulmonary carcinoid tumors, 752–753

central line injection artifact simulating paratracheal adenopathy on, 735–737

of chronic cholecystitis, 496–497

of colon cancer metastasis to adrenal gland, 444

of cytomegalovirus pneumonia, 569–571

dual-phase, in differentiating solitary pulmonary nodules, 281–283

of epithelioid hemangioendothelioma, 789–792

in liver, 828–830

in lungs, 758–759

false-negative, of renal cell carcinoma, 488–490

false-positive, in pulmonary amyloidosis, 657–658

of giant cell arteritis, 617–619

of goiter, incidental detection of autonomous nodule in, 732–733

in Hodgkin's disease, unusually elevated liver radioactivity on, 626–628

of hydropneumothorax, 277–278

hypermetabolism of multiple pulmonary nodules on, in bronchiolitis obliterans organizing pneumonia, 654–656

iatrogenic artifacts on (ab), 132

of incidental bronchogenic cyst, 494–495

of incidental situs inversus, 846–847

of jejunal adenocarcinoma with distant metastases, 825–827

of lobular panniculitis, 442–443

of lung adenocarcinoma lepidic spread, 206–208

of lung lesions in large community hospital (ab), 133

lung tumor FDG uptake in, tumor size correlation with (ab), 132

of lungs in aspiration pneumonia, 567–568

of lymphoproliferative disorder after heart transplantation, 329–331

of melanoma metastasis to testis, 811–812

of meningioma metastasis to lung, 587–589

of mottled splenomegaly in sarcoidosis, 104103

of *Nocardia* lung infection, 834–835

of pancreatic lymphoma, 574–575

in paraneoplastic Sweet syndrome, 91–92

of parotid gland small cell carcinoma, 502–503

of perigraft leak and thrombus in dissecting thoracic aortic aneurysm, 750–751

of perineural spread of skin carcinoma to

base of skull, 717-719
 in persistent hiccups, 35-36
 pleomorphic adenoma simulating metastatic squamous cell carcinoma on, 743-744
 of post-traumatic cerebrovenous infarct mimicking infiltrative glioma, 68-69
 in predicting lung carcinoma metastasis to adrenal gland (ab), 132
 of pulmonary carcinoid, 370-371
 of rare soft tissue sarcomas, 581-584
 of recurrent and metastatic breast carcinoma (ab), 139
 of recurrent pancreatic carcinoma, 138
 of right lower lung, ring-shaped image on, 324-325
 in Rosai-Dorfman disease, 209-210
 serial
 of American Burkitt's lymphoma of head and neck, 646-648
 of peripheral malignant nerve sheath tumor, 415-418
 of single bone lesion in ovarian cancer, 204-205
 of sinonasal Hodgkin's disease, 449
 skeletal muscle uptake distorted by sepsis chills in, viable tumor underestimation in, 600-601
 splenic infarction mimicking gastric remnant on, 37-38
 of splenic involvement by lymphoma, Ga vs. CT of (ab), 132
 of spontaneous regression of non-Hodgkin's lymphoma, 685-688
 of suspected encephalitis, 620-625
 of thyroid, neuroendocrine, and neural crest tumors, 86-90
 of thyroid carcinoma, pituitary activity on (ab), 133
 of tuberculosis, lymphoma-like appearance of, 124
 Virchow's node on, 770-772
 whole-body
 catheter-related focal FDG activity on, 238-242
 diffuse bone marrow uptake on, in patient taking recombinant erythropoietin, 161-163
 iatrogenic artifacts on, 429-439
Fluorine-18 labeled deoxyglucose (FDG)
 uptake
 in area of recently implanted bioprosthetic mitral valve, 848
 in atherosclerotic plaque, 93-95
 by cytokines, mimicked by diffuse bone marrow FDG accumulation in chronic myeloid leukemia, 637-639
 diaphragmatic and crural, during hyperventilation, 296-299
 intense, in benign Hurtle cell adenoma, 664-666
 in intercostal muscle, as indicator of respiratory disease, 807-808
 in soft tissue, in seatbelt injury, 809-810

in tongue muscle, 531-533
 Foot, mixed form lymphatic malformation of, 48-50
Fracture
 intertrochanteric, enthesopathy mimicking, on Tc-99m MDP scan, 815-816
 stress-induced
 of fibula, and confounding myositis ossificans, bone imaging of, 813-814
 nonossifying fibroma in, 41-42
 of rib, skeletal scintigraphy of, 614-616
 Furosemide, increasing dose in azotemia and obstruction, 149-153

G

Gallbladder perforation, Tc-99m mebrofenin cholescintigraphy of, 644-645
Gallium-67 scintigraphy
 of adult onset Still's disease, 372-374
 of B cell lymphoma in fever of unknown origin, 859-860
 of cryptococcal meningitis-associated pericarditis, 119-120
 of hepatic lymphoma, 53-54
 of jejunal adenocarcinoma with distant metastases, 825-827
 of lymphoproliferative disorder after heart transplantation, 329-331
 of malignant lymphoma with prostate involvement, 217
 no hepatic uptake on, after fludarabine therapy, 275-276
 of organizing pneumonia, 504-505
 of osseous involvement in multisystem sarcoidosis, 60-62
 of pulmonary alveolar proteinosis, 667-669
 of splenic involvement by lymphoma, FDG PET vs. CT of (ab), 132
 Tc-99m sestamibi with, of myocardial abscess around bioprosthetic aortic valve, 799-800
 of thyroid lymphoma, 51-52
Gallium-67 uptake
 in pericardial fat necrosis, 378-379
 in thymic carcinoma, 126-128
Gamma probe, intraoperative ovarian carcinoid tumor detection by, 343-345
Gastric remnant, splenic infarction mimicking of, on F-18 FDG PET, 37-38
Gastrointestinal bleeding
 localization of
 on Tc-99m RBC scan, 211-213
 technical factors in (ab), 140
 scintigraphy of
 (ab), 140
 liver uptake of Tc-99m RBCs during, 522-523
 Giant cell arteritis, F-18 FDG PET of, 617-619
 Giant cell tumor, bone imaging of, 509-513
 Glioma, infiltrative, post-traumatic cerebrovenous infarct mimicking, 68-69
 Glucose metabolism, of central neurocytoma,

PET study of, 838-839
Goiter
 incidental detection of autonomous nodule in, by F-18 FDG PET, 732-733
 radioiodine treatment of, parathyroid adenoma detection after, with Tc-99m sestamibi/Tc-99m pertechnetate studies, 730-731
 Gorham's disease, pelvic, 709-711
 Gout, florid polyarticular, mimicking septic arthritis, 262-263
 Graft-vs.-host disease, acute, Tc-99m leukocyte imaging of, 801-802
 Granulomatous disease, C-11 methionine uptake in, 585-586

H

Head and neck, Burkitt's lymphoma of, serial F-18 FDG PET imaging of, 646-648
Head trauma, anosmia after, perfusion brain imaging vs. MRI of (ab), 135
Heart. See also Cardiac entries; Left ventricular entries; Myocardial entries
 Tc-99m MDP uptake in, in hemodialysis patient, 854-855
Heart transplantation, lymphoproliferative disorder after, Ga-67 scintigraphy and F-18 FDG PET of, 329-331
Hemangioendothelioma, epithelioid, F-18 FDG PET of, 789-792
 in liver, 828-830
 in lungs, 758-759
Hemangioma
 hepatic
 incidental, on Tc-99m RBC scan, 211-213
 small suspected, Tc-99m RBC SPECT/MRI fusion imaging of, 844-845
 of spleen, confirmed by blood pool scintigraphy, 670-671
Hemangiopericytoma, malignant, F-18 FDG PET of, 581-584
Hematoma
 after renal transplantation, diuretic renography of, 380-381
 soft tissue, in chest wall, Tc-99m MDP uptake in, 454-455
 subdural, mimicking thyroid carcinoma metastasis, on I-131 whole-body scan, 164-166
Hemivertebral analysis, of scoliosis with collapse of compressed side (ab), 134
Hemodialysis patient, Tc-99m MDP uptake in heart and soft tissue of, 854-855
Hemophilia, radiosynoviorthesis in, corticosteroid coinjection with, 538-541
Hemorrhage. See Bleeding
Hepatic fibrosis, congenital, with postcholecystectomy syndrome, hepatobiliary scintigraphy of, 55-59
Hepatic hemangioma
 incidental, on Tc-99m RBC scan, 211-213

- small suspected, Tc-99m RBC SPECT/MRI fusion imaging of, 844–845
- Hepatic lymphoma, Ga-67 citrate scintigraphy of, 53–54
- Hepatobiliary scans
- of congenital hepatic fibrosis with postcholecystectomy syndrome, 55–59
 - pelvic varices identification on, 748–749
 - of spontaneous choledochal cyst rupture, 392–393
- Heptiminodiacetic acid (HIDA) scan, of bronchobiliary fistula as complication of liver metastasis, 289–291
- Hernia
- of bladder, simulating metastatic lesion, on F-18 FDG PET, 767
 - inguinal, Tc-99m HMPAO leukocyte scan of, 196–197
- Hiccups, persistent, F-18 FDG PET in, 35–36
- Hip
- acetabular labral tears in, bone scintigraphy of, 465–468
 - painful prosthesis of, leukocyte/marrow imaging of, lateral view necessity in (ab), 138
 - septic arthritis of, ischium osteomyelitis complicated with, 552–553
- Hip arthroplasty, failed cemented, F-18 FDG imaging of (ab), 134
- Hip replacement, total, tagged red cell bleeding study after, 629–630
- Histoplasmosis sepsis, In-111 leukocyte scan of, 576–577
- Hodgkin's disease
- F-18 FDG PET in, unusually elevated liver radioactivity on, 626–628
 - sinonasal, F-18 FDG PET of, 449
- Hurtle cell adenoma, benign, intense FDG uptake in, 664–666
- Hydatid cyst, pulmonary embolism caused by, 760–761
- Hydrocele, ascites with, peritoneal scintigraphic detection of, 326
- Hydronephrosis, unilateral, supranormal renal function in, 410–414
- Hydropneumothorax, F-18 FDG PET of, 277–278
- Hyperparathyroidism, ectopic mediastinal parathyroid tumor and, Tc-99m sestamibi imaging of, 388–389
- Hyperphosphatasia, idiopathic, bone scan findings in, 519–521
- Hypersplenism, in cirrhosis, eleven-year follow up of (ab), 137
- Hypertension
- exercise renography in, 27–34
 - renovascular
 - captopril renograms in, interpretation reproducibility of, 479–484
 - Tc-99m MAG3 in, diagnostic pitfall in, 218–221
- Hyperventilation, diaphragmatic and crural FDG uptake in, 296–299
- Hypoperfusion, cingulate, Tc-99m HMPAO SPECT of, in dementia, 362–366
-
- I
- Ileal adenocarcinoma, false-positive Tc-99m HMPAO leukocyte scan and, 63–64
- Indium-111 diethylenetriaminepentaacetic acid (DTPA) imaging
- of Baclofen pump function, 578–580
 - of pleural cerebrospinal fluid input and output kinetics, 836–837
- Indium-111 leukocyte scan
- of histoplasmosis sepsis, 576–577
 - of infection
 - F-18 FDG labeling vs. (ab), 134
 - orthopedic, 469–474
 - in rhabdomyolysis, 367–369
- Indium-111 pentetate scintigraphy, of pituitary growth hormone-releasing hormone producing tumor in ectopic acromegaly, 841–843
- Infant, complete situs inversus in, Tc-99m sulfur colloid and Tc-99m RBC imaging of, 590–591
- Infection
- F-18 FDG leukocyte scan of, In-111 labeling vs. (ab), 134
 - orthopedic, Tc-99m nanocolloid marrow scan of, 469–474
 - osteoarticular, T-99m SmaB diagnosis of, 781–785
 - renal and adjacent rib, bone scintigraphy of, 720–722
 - sternal, Tc-99m HMPAO leukocyte scan of, 194–195
 - total arthroplasty, Tc-99m antigranulocyte-antibody Fab' fragment imaging of, 548–551
 - in urinary tract, ultrasound with radionuclide vesicourethrogram of (ab), 136
- Inguinal hernia
- FDG accumulation in, mimicking metastatic disease, 652–653
 - Tc-99m HMPAO leukocyte scan of, 196–197
- Intercostal muscle, F-18 FDG uptake by, as indicator of respiratory disease, 807–808
- Intertrochanteric fracture, enthesopathy mimicking, on Tc-99m MDP scan, 815–816
- Intussusception, tumor-induced, pediatric Burkitt's lymphoma with, Tc-99m pertechnetate accumulation in, 264–265
- Iodine-123 imaging
- to assess breast uptake of I-131 before radioiodine therapy for thyroid cancer in postpartum woman, 498–501
 - of thyroid gland, patterns, pearls, and pitfalls in, 181–193
- Iodine-123 metaiodobenzylguanidine (MIBG) imaging, intraoperative ovarian carcinoid tumor detection by, 343–345
- Iodine-123Na whole-body imaging, in differentiated thyroid carcinoma patient (ab), 138
- Iodine-131 accumulation, unusual patterns of, 738–740
- Iodine-131 imaging
- post-therapy
 - incremental value of (ab), 133
 - in thyroid cancer metastasis, 795–798
- whole-body, false-positive, in subdural hematoma mimicking thyroid carcinoma metastasis, 164–166
- Iodine-131-SPECT/CT imaging, in thyroid carcinoma follow-up (ab), 222
- Iodine-131 uptake, cervical, postsurgical radioiodine ablation and, 358–361
- Iodine therapy, radioactive, of goiter, parathyroid adenoma detection after, with Tc-99m sestamibi/Tc-99m pertechnetate studies, 730–731
- Iron overload, bone-seeking agent biodistribution in, 214–216
- Ischium osteomyelitis, hip septic arthritis complicated with, 552–553
-
- J
- Jejunal adenocarcinoma, with distant metastases, F-18 FDG PET and Ga-67 imaging of, 825–827
- Juxtacortical osteosarcoma, central photopenia in, Tc-99m bone scan of, 112–114
-
- K
- Kidney(s). *See also* Renal entries
- obstructed, diuresis renography in, furosemide dose in, 149–153
 - supernumerary left, Tc-99m MAG3 of, 852–853
 - unilateral duplicated, kidney length and function in, 99
 - unilateral hydronephrotic, supranormal renal function in, 410–414
- Kidney transplantation
- hematoma after, diuretic renography of, 380–381
 - suspected urinary leak after, Tc-99m MAG3 imaging of, 592–594
- Knee joint effusions, in osteoarthritis, Tc-99m bone scintigraphy of, 394–396
- Knee trauma, spondyloarthropathy after, bone scintigraphy of, 251–254
-
- L
- Laryngeal cancer/carcinoma, recurrent, F-18 FDG PET/CT of (ab), 223
- LEAP collimator. *See* Low-energy all-purpose collimator
- Left ventricular dilatation, transient, in absence of epicardial disease, 348–351
- Left ventricular dysfunction, ischemic,

- trimetazidine and myocardial perfusion in, 117–118
- Left ventricular ejection fraction, measurement with gated myocardial RbPET perfusion imaging (ab), 135
- Left ventricular inferior wall, perfusion defects in, after myocardial infarction (ab), 136
- Leukemia, chronic myeloid, diffuse bone marrow F-18 FDG accumulation in, mimicking cytokine F-18 FDG uptake in PET, 637–639
- Leukocyte scan
In-111
 of histoplasmosis sepsis, 576–577
 of infection
 F-18 FDG labeling vs. (ab), 134
 orthopedic, 469–474
 in rhabdomyolysis, 367–369
 Tc-99m antigranulocyte-antibody Fab' fragment, of infected total arthroplasty, 548–551
 Tc-99m HMPAO
 false-positive, ileal adenocarcinoma and, 63–64
 of inguinal hernia, 196–197
 of intraabdominal *Nocardia* abscess, 270–271
 of sternal infection and retrosternal abscess, 194–195
- Lignocaine, toxic reaction to, bone scan after, 43–44
- Lipoid pneumonia, simulating lung cancer, false-positive PET scan in, 426–428
- Liver
 colorectal carcinoma metastasis to, PET/CT detection of (ab), 222
 duodenal adenocarcinoma metastases to, Tc-99m MDP uptake in, 125
 inflammation in, Tc-99m mebrofenin imaging of (ab), 138
 lymphoma in, Tc-99m RBC scintigraphy of, 272–274
 metastasis to, bronchobiliary fistula as complication of, HIDA scan of, 289–291
 no Ga-67 uptake by, after fludarabine therapy, 275–276
 Tc-99m MAA uptake by, 793–794
 Tc-99m RBC distribution in, during resting cardiac studies (ab), 136
 Tc-99m RBC uptake by, in gastrointestinal bleeding scintigraphy, 522–523
 unusually elevated radioactivity in, on F-18 FDG PET in Hodgkin's disease, 626–628
- Liver transplantation
 abnormal Tc-99m HDP uptake by skeletal muscle after, 689–693
 veno-occlusive disease in, colloid scintigraphy of, 292–295
- Lobular panniculitis, F-18 FDG PET of, 442–443
- Low-energy all-purpose (LEAP) collimator, for sentinel node detection in breast cancer, 609–613
- Lung
 in aspiration pneumonia, F-18 FDG uptake in, in PET imaging, 567–568
 meningioma metastasis to, F-18 FDG PET of, 587–589
 Nocardia infection in, F-18 FDG PET localization of, 834–835
 placental transmigration of, perfusion scintigraphy of, 445–446
 right lower, ring-shaped F-18 FDG uptake in, 324–325
- Lung adenocarcinoma, lepidic spread of, F-18 FDG PET of, 206–208
- Lung cancer/carcinoma
 adrenal metastases of, FDG PET prediction of (ab), 132
 correlation between tumor size and FDG uptake in (ab), 132
 lipoid pneumonia simulating, false-positive PET scan in, 426–428
 primary, Tc-99m MDP uptake in, 723–724
- Lung carcinoid, F-18 FDG PET of, 370–371
- Lung disease, skeletal tuberculosis in absence of, CT of, 507–508
- Lung lesions, evaluation in large community hospital, FDG PET/CT in (ab), 133
- Lung nodule(s)
 malignant, detection with Tc-99m depreotide, correlation with tumor:normal lung ratio, 171–176
 solitary, differentiating on dual-phase F-18 FDG PET, 281–283
- Lung scan
 false-positive, in congenital absence of right pulmonary artery, 659–661
 of segmental contour mapping pattern, in breast cancer, 745–747
 spiral CTA after, pulmonary embolism diagnosis from, 255–261
- Lung tumor, on TC-99 MDP bone scintigraphy of scaphoid fracture, 450–451
- Lupus myocarditis, ARDS secondary to, ventilation-perfusion scan in, 831–833
- Lymph nodes
 axillary
 bilateral sentinel, from breast carcinoma, 840
 dissection in recurrent/primary breast cancer, alternative lymphatic pathway after, 698–702
 pericardial, involvement in lymphoma, PET/CT of, 741–742
 sentinel
 breast cancer metastasis to (ab), 137
 bilateral, 840
 in contralateral axilla, 346–347
 detection with LEAP or MEAP collimator, 609–613
 lymphoscintigraphy injection technique in, 306–311
 papillary thyroid and squamous cell carcinoma in, 268–269
- Lymphatic malformation of foot, mixed form, 48–50
- Lymphatic pathway, alternative, after axillary node dissection, in recurrent/primary breast cancer, 698–702
- Lymphoma
 B cell, in fever of unknown origin, F-18 FDG PET and Ga-67 scintigraphy of, 859–860
 F-18 FDG PET of tuberculosis looking like, 124
 hepatic
 Ga-67 citrate scintigraphy of, 53–54
 Tc-99m RBC scintigraphy of, 272–274
 malignant, with prostate involvement, Ga-67 scintigraphy of, 217
 non-Hodgkin's, spontaneous regression of, F-18 FDG PET of, 685–688
 pericardial lymph node involvement in, PET/CT of, 741–742
 splenic involvement of, FDG PET vs. Ga vs. CT of (ab), 132
 thyroid
 Ga-67 citrate and Tc-99m pertechnetate scintigraphy of, 51–52
 PET of, 572–573
- Lymphoproliferative disorder, after heart transplantation, Ga-67 scintigraphy and F-18 FDG PET of, 329–331
- Lymphoscintigraphy
 activity layering around breast implant capsule on, 598–599
 of chylothorax, 440–441
 injection technique into, of sentinel lymph node in breast cancer, 306–311

M

- Maffucci's syndrome, combined Tc-99m MDP and Tc-99m RBC imaging of, 817–820
- Magnetic resonance imaging (MRI)
 in anosmia after head trauma, perfusion brain imaging vs. (ab), 135
 of benign adrenocortical adenoma, 300–302
 of Ollier disease with synchronous multicentric chondrosarcoma, 45–47
 of post-traumatic cerebrovenous infarct mimicking infiltrative glioma, 68–69
- McCune-Albright syndrome, long-term follow-up of, whole-body bone scan and SPECT in, 712
- MEAP. See Medium-energy all-purpose collimator
- Meckel's diverticulitis, diagnosis with CT and Tc-99m pertechnetate scintigraphy, 823–824
- Mediastinal tumor, myocardial perfusion imaging of, Tc-99m tetrofosmin uptake in, 390–391
- Mediastinum, atherosclerotic plaque in, F-18 FDG uptake in, 93–95
- Medium-energy all-purpose (MEAP) collimator, for sentinel node detection in breast

cancer, 609–613
 Melanoma, metastasis to testis, PET/CT of, 811–812
 Meningioma, metastasis to lung, F-18 FDG PET of, 587–589
 Meningitis, cryptococcal, pericarditis associated with, Ga-67 scintigraphy in, 119–120
 Metacarpal head, idiopathic osteonecrosis of, bone imaging of, 631–632
 Metastatic disease, inguinal herniation FDG accumulation mimicking, 652–653
 Metastatic lesion, bladder hernia simulating, on F-18 FDG PET, 767
 Methionine metabolism, of central neurocytoma, PET study of, 838–839
 Mitral valve, recently implanted bioprosthetic, F-18 FDG uptake in, 848
 Multiple endocrine neoplasia type 2a, metastasis of, multimodality imaging of, 713–716
 Myelofibrosis, in disseminated tuberculosis before and after therapy, bone imaging of, 706–708
 Myeloid leukemia, chronic, diffuse bone marrow F-18 FDG accumulation in, mimicking cytokine F-18 FDG uptake in PET, 637–639
 Myeloma, multiple, myocardial perfusion imaging of, skeletal tetrofosmin uptake in, 327–328
 Myocardial abscess, around bioprosthetic aortic valve, dual Tc-99m sestamibi and Ga-67 SPECT localization of, 799–800
 Myocardial infarction
 assessing size with attenuation-corrected TI-201 SPECT, 352–357
 left ventricular inferior wall perfusion defects after (ab), 136
 Myocardial perfusion imaging
 gated, using N-13 ammonia, 243–248
 incidental thallium uptake in breast lymphoma during, 121–123
 of left ventricular function, trimetazidine and, 117–118
 of mediastinal tumor, Tc-99m tetrofosmin uptake in, 390–391
 RbPET, of left ventricular ejection fraction (ab), 135
 skeletal tetrofosmin uptake in, in multiple myeloma diagnosis, 327–328
 SPECT, in thyroid carcinoma follow-up (ab), 222
 Myocardial scintigraphy, Tc-99m tetrofosmin, of recurrent breast cancer, 597
 Myocarditis, lupus, ARDS secondary to, ventilation-perfusion scan in, 831–833
 Myopathy, in biliary cirrhosis, bone imaging of, 725–726
 Myositis
 bull rider's, Tc-99m MDP imaging of, 514–515
 in polyarteritis nodosa, 703–705
 Myositis ossificans, fibula stress fracture with,

bone imaging of, 813–814

N

Nerve sheath tumor, peripheral malignant, serial F-18 FDG PET of, 415–418
 Neural crest tumors, F-18 FDG PET of, 86–90
 Neurocytoma, central, methionine and glucose metabolism of, PET study of, 838–839
 Neuroendocrine tumors, F-18 FDG PET of, 86–90
 Neurofibromatosis, plexiform, PET of (ab), 139
 Nitrogen-13 ammonia, gated cardiac PET using, 243–248
 Nocardia abscess, intraabdominal, Tc-99m HMPAO leukocyte scan of, 270–271
 Nocardia infection, in lung, F-18 FDG PET localization of, 834–835
 Non-Hodgkin's lymphoma, spontaneous regression of, F-18 FDG PET of, 685–688
 Nonossifying fibroma, in stress-induced fracture, 41–42
 Nonsteroidal antiinflammatory drugs, acute renal failure induced by, bone scintigraphy of, 316–317

O

Ollier disease
 bilateral symmetrical, Tc-99m MDP imaging of, 456
 synchronous multicentric chondrosarcoma with, 45–47
 Orthopedic infection, In-111 leukocyte scan and Tc-99m nanocolloid marrow scan of, 469–474
 Osler-Weber-Rendu disease, Tc-99m RBC scan in, 861–863
 Osteitis condensans ilii, bone scintigraphy of, 320–321
 Osteoarthritis, knee joint effusions in, Tc-99m bone scintigraphy of, 394–396
 Osteoarticular infection, T-99m SMab diagnosis of, 781–785
 Osteolytic lesions, bone scintiscanning of, 12–20
 Osteomyelitis
 ischium, hip septic arthritis complicated with, 552–553
 Tc-99m HMPAO leukocyte scan of, 194–195
 Osteonecrosis, idiopathic, of metacarpal head, bone imaging of, 631–632
 Osteopoikilosis, abnormal bone scan in, 856–858
 Ovarian cancer/carcinoma
 intraoperative detection by gamma probe, 343–345
 metastasis to breast, Tc-99m MDP scan of, 167–170
 single bone lesion in, F-18 FDG PET of, 204–205
 Ovary(ies), bilateral colon carcinoma metastasis to, F-18 FDG PET of, 322–323

P

Paget's disease, bone scintiscanning in, 12–20
 Pain, after knee trauma, bone scintigraphy in, spondyloarthropathy diagnosis from, 251–254
 Pancoast tumor, reflex sympathetic dystrophy and, Tc-99m medronate imaging of, 633–634
 Pancreatic cancer/carcinoma, recurrent, F-18 FDG PET of (ab), 138
 Pancreatic lymphoma, F-18 FDG PET of, 574–575
 Pancreatic mass, from VIPoma, 201–203
 Panniculitis, lobular, F-18 FDG PET of, 442–443
 Papillary muscle ischemia, in PET, 1–4
 Paraneoplastic Sweet syndrome, F-18 FDG PET in, 91–92
 Parathyroid adenoma
 detection after radioiodine treatment of goiter, 730–731
 detection with Tc-99m sestamibi/Tc-99m pertechnetate studies, after radioactive iodine treatment of goiter, 730–731
 disappearing mediastinal, retained at tip of intrathoracic catheter, Tc-99m MIBI of, 734
 localization of, delayed Tc-99m MIBI SPECT for, 727–729
 Parathyroid cancer/carcinoma, recurrent, localization with combined parathyroid scintigraphy and CT, 681–684
 Parathyroid gland
 ectopic undescended, preoperative localization by thallium-pertechnetate subtraction scanning, 542–544
 Tc-99m sestamibi imaging of, sensitivity of (ab), 139
 Parathyroid lesions, detection with digital vs. visual subtraction (ab), 136
 Parathyroid tumor, ectopic mediastinal, Tc-99m sestamibi localization of, in hyperparathyroidism, 388–389
 Parathyroidectomy, TI-201/TPSS before, 21–26
 Paratracheal adenopathy, central line injection artifact simulating, on F-18 FDG PET, 735–737
 Parotid gland small cell carcinoma, F-18 FDG PET of, 502–503
 Pectoralis major muscle activity, push-up sign on, on Tc-99m MDP imaging, 805–806
 Pelvic varices, identification on gated cardiac imaging and hepatobiliary scans, 748–749
 Pelvis, vanishing bone disease of, 709–711
 Perfusion scintigraphy, of placental transmogrification of lung, 445–446
 Pericardial fat necrosis, Ga-67 uptake in, 378–379
 Pericardial lymph nodes, involvement in lymphoma, PET/CT of, 741–742

- Pericarditis, cryptococcal meningitis-associated, Ga-67 scintigraphy in, 119–120
- Periostitis, in polyarteritis nodosa, 703–705
- Peripheral nerve sheath tumor, malignant, serial F-18 FDG PET of, 415–418
- Peritoneal scintigraphy, ascites and hydrocele detected by, 326
- Phoenopia, central, in juxtacortical osteosarcoma, Tc-99m bone scan of, 112–114
- Pituitary activity, in thyroid carcinoma, F-18 FDG PET of (ab), 133
- Pituitary growth hormone-releasing hormone producing tumor, in ectopic acromegaly, localized by In-111 pentetreotide scintigraphy, 841–843
- Placental transmigration of lung, perfusion scintigraphy of, 445–446
- Plasmacytoma, bone scintiscanning of, 12–20
- Pleomorphic adenoma, simulating metastatic squamous cell carcinoma, on F-18 FDG PET, 743–744
- Pleural cerebrospinal fluid input and output kinetics, In-111 DTPA myelography of, 836–837
- Pleurodesis, pleural-peritoneal shunt evaluation before, 545–547
- Plexiform neurofibromatosis, PET of (ab), 139
- Pneumonia
aspiration, lung F-18 FDG uptake in, in PET imaging, 567–568
bronchiolitis obliterans organizing, multiple pulmonary nodule hypermetabolism on F-18 FDG PET in, 654–656
cytomegalovirus, F-18 FDG PET of, 569–571
lipoid, simulating lung cancer, false-positive PET scan in, 426–428
organizing, Ga-67 imaging of, 504–505
- Polyarteritis nodosa, periostitis and myositis in, 703–705
- Polycythemia, prostate metastases vs., on bone imaging, 375–377
- Positron emission tomography (PET). *See also* Fluorine-18 labeled deoxyglucose positron emission tomography
false-positive, of lipoid pneumonia
simulating lung cancer, 426–428
gated cardiac, using N-13 ammonia, 243–248
of methionine and glucose metabolism of central neurocytoma, 838–839
myocardial, papillary muscle ischemia in, 1–4
for plexiform neurofibromatosis (ab), 139
of thyroid lymphoma, 572–573
- Positron emission tomography (PET)/computed tomography (CT)
of ARDS, 786–788
of breast cancer osseous metastasis, bone scintigraphy vs. (ab), 222
of brown adipose tissue, 5–11
in detecting colorectal carcinoma metastasis to liver (ab), 222
of epidural metastasis, 39–40
FDG uptake in (ab), 133
of incidental situs inversus, 846–847
of melanoma metastasis to testis, 811–812
of pericardial lymph node involvement in lymphoma, 741–742
protocols for, delayed imaging with longer imaging time in (ab), 223
- Postcholecystectomy syndrome, congenital hepatic fibrosis in, hepatobiliary scintigraphy of, 55–59
- Prostate adenocarcinoma, metastasis of, polycythemia vs., on bone imaging, 375–377
- Prostate cancer/carcinoma
chemotherapy-resistant, strontium-89 results in, 81–85
peripheral bone metastases in, 335–336
- Prostate gland, involved in malignant lymphoma, Ga-67 scintigraphy of, 217
- Pulmonary alveolar proteinosis, Ga-67 scintigraphy of, 667–669
- Pulmonary amyloidosis, false-positive F-18 FDG PET in, 657–658
- Pulmonary artery, right, congenital absence of, false-positive lung scan in, 659–661
- Pulmonary embolism
caused by hydatid cyst, 760–761
crack cocaine inhalation mimicking of, ventilation perfusion scan of, 756–757
diagnosis from spiral CTA after lung scintigraphy, 255–261
on ventilation-perfusion scans, 419–425
- Pulmonary epithelioid hemangioendothelioma, F-18 FDG PET detection of, 758–759
- Pulmonary nodules, multiple, hypermetabolism on F-18 FDG PET, in bronchiolitis obliterans organizing pneumonia, 654–656
- Pulmonary silicosis, progressive massive fibrosis secondary to, F-18 FDG PET/CT of, 754–755
- Pyeloduodenal fistula, from chronic duodenal ulcer, urine extravasation into colon from, Tc-99m DTPA scintigraphy of, 198–200

R

- Rib
infection in, adjacent to renal infection, bone scintigraphy of, 720–722
stress fracture in, skeletal scintigraphy of, 614–616
- Rosai-Dorfman disease, F-18 FDG PET in, 209–210
- Rubidium-82 gated myocardial perfusion imaging
of left ventricular ejection fraction (ab), 135
optimizing performance of (ab), 135

S

- Sacral chordoma, Tc-99m MDP scan of, 562–563
- Saddle sign, in bilateral thigh adductor compartment Tc-99m MDP uptake, 516
- Sarcoidosis
multisystem, osseous involvement by Ga-67 citrate and Tc-99m MDP imaging, 60–62
splenomegaly in, F-18 FDG PET of, 103–104
- Scaphoid fracture, Tc-99 MDP bone scintigraphy of, detection of finger clubbing and lung tumor on, 450–451
- Scoliosis, compressed side of, hemivertebral analysis of (ab), 134
- Seatbelt injury, F-18 FDG PET soft tissue uptake in, 809–810
- Sepsis, chills from, skeletal muscle F-18 FDG uptake caused by, viable tumor underestimation in, 600–601
- Septic arthritis
florid polyarticular gout mimicking, 262–263
of hip, ischium osteomyelitis complicated with, 552–553
- Shunts
intrahepatic and right-to-left, superior vena cava obstruction with, Tc-99m MAA lung scintigraphy and CT of, 491–493
pleural-peritoneal, evaluation before pleurodesis, 545–547
- Silicosis, pulmonary, progressive massive fibrosis secondary to, F-18 FDG PET/CT of, 754–755
- Simvastatin, clarithromycin interaction with, rhabdomyolysis resulting from, Tc-99m MDP imaging of, 803–804
- Single-photon emission computed tomography (SPECT)
of fibrous dysplasia of skull, 554–559
multimodality, of multifocal spondylodiscitis, 635–636
myocardial perfusion, in thyroid carcinoma follow-up (ab), 222
of parathyroid adenoma, 662–663
whole-body, in McCune-Albright syndrome long-term follow-up, 712
- Single-photon emission computed tomography (SPECT)/computed tomography (CT)
I-131, in thyroid carcinoma follow-up (ab), 222
- Tc-99m DIDA, biliary leak on, 642–643
- Sinonasal region, Hodgkin's disease in, F-18 FDG PET of, 449
- Situs inversus
complete, in infant, Tc-99m sulfur colloid and Tc-99m RBC imaging of, 590–591
incidental, F-18 FDG PET/CT of, 846–847
- Skeletal muscle
abnormal Tc-99m HDP uptake by, after liver transplantation, 689–693
F-18 FDG uptake by, sepsis chills distortion of, viable tumor underestimation in, 600–601
- Skeletal tuberculosis, in absence of pulmonary disease, CT of, 507–508
- Skin carcinoma, perineural spread to base of skull, F-18 FDG PET and CT of, 717–719
- Skull
base of, perineural skin carcinoma spread to, F-18 FDG PET and CT of, 717–719
fibrous dysplasia of, bone SPECT of, 554–559
recurrent osteosarcoma in, detection on SPECT with Tc-99m MDP, 72–73
- Soft tissue
Tc-99m MDP accumulation in, caused by bicycle riding, 279–280
Tc-99m MDP uptake in, in hemodialysis patient, 854–855
- Soft tissue hematoma, in chest wall, Tc-99m MDP uptake in, 454–455
- Soft tissue sarcomas, F-18 FDG PET of, 581–584
- Spine, stress injuries in young athletes, skeletal scintigraphy of, 689–693
- Spiral computed tomographic angiography (CTA), after lung scintigraphy, pulmonary embolism diagnosis from, 255–261
- Spleen
accessory, Tc-99m RBC imaging of, in chronic thrombocytopenic purpura, 403–409
FDG uptake in, in beta-thalassemia PET, 266–267
hemangioma of, confirmed by blood pool scintigraphy, 670–671
lymphoma involvement in, FDG PET vs. Ga vs. CT of (ab), 132
Tc-99m RBC distribution in, during resting cardiac studies (ab), 136
- Splenic infarction, mimicking gastric remnant on F-18 FDG PET, 37–38
- Splenic lesion, Tc-99m RBC scan of, 105–109
- Splenomegaly, in sarcoidosis, F-18 FDG PET of, 103–104
- Spondyloarthropathy, after traumatic knee injury, bone scintigraphy of, 251–254
- Spondylodiscitis, multifocal, multimodality SPECT imaging of, 635–636
- Squamous cell carcinoma
metastatic, pleomorphic adenoma simulating, on F-18 FDG PET, 743–744
thyroid, in same sentinel lymph node with papillary thyroid carcinoma, 268–269
- Sternal infection, Tc-99m HMPAO leukocyte scan of, 194–195
- Still's disease, adult onset, serial Ga-67 scintigraphy of, 372–374
- Stress fracture
of fibula, and confounding myositis ossificans, bone imaging of, 813–814
nonossifying fibroma in, 41–42
of rib, skeletal scintigraphy of, 614–616
- Stress injury, low back pain from, in young athletes, skeletal scintigraphy of, 689–693
- Strontium-89, for chemotherapy-resistant prostate cancer, 81–85
- Subdural hematoma, mimicking thyroid carcinoma metastasis, on I-131 whole-body scan, 164–166
- Superior vena cava obstruction, with intrahepatic and right-to-left shunts, Tc-99m MAA lung scintigraphy and CT of, 491–493
- Superior vena cava syndrome, and Tc-99m MAA uptake by liver and vertebra, 793–794
- Superscan, hepatic, in Hodgkin's disease, 626–628
- Sweet syndrome, paraneoplastic, F-18 FDG PET in, 91–92

T

- Talar fracture, reflex sympathetic dystrophy after, three-phase bone scintigraphy pattern in, 560–561
- Technetium-99m antigranulocyte-antibody Fab' fragment imaging, of infected total arthroplasty, 548–551
- Technetium-99m CERETEC-HMPAQ imaging, in anosmia after head trauma, MRI vs. (ab), 135
- Technetium-99m depreotide imaging, malignant pulmonary nodules detected with, correlation with tumor:normal lung ratio, 171–176
- Technetium-99m diethylenetriaminepentaacetic acid (DTPA) imaging
of Baclofen pump function, 578–580
of crossed renal ectopia with fusion, 595–596
renal. *See also* Diuresis renography; Renal imaging
filtration fraction in, 231–237
of urine extravasation into colon, 198–200
- Technetium-99m diethylenetriaminepentaacetic acid (DTPA) uptake, by metastatic colorectal carcinoma, 485–487
- Technetium-99m di-isopropyl iminodiacetic acid (DIDA) SPECT/CT, biliary leak on, 642–643
- Technetium-99m dimercaptosuccinic acid (DMSA), renal artery infarction localization with, 649–651
- Technetium-99m hexamethylpropylene amine oxime (HMPAO) leukocyte scan
false-positive, ileal adenocarcinoma and, 63–64

- of inguinal hernia, 196–197
- of intraabdominal *Nocardia* abscess, 270–271
- of sternal infection and retrosternal abscess, 194–195
- Technetium-99m hexamethylpropylene amine oxime (HMPAO) SPECT, of cingulate hypoperfusion, in dementia, 362–366
- Technetium-99m hydroxymethylene diphosphonate (HDP), abnormal skeletal muscle uptake of, after liver transplantation, 689–693
- Technetium-99m hydroxymethylene diphosphonate (HDP) imaging, prostate metastases vs. polycythemia on, 375–377
- Technetium-99m imaging, of osteoarthritic knee joint effusions, 394–396
- Technetium-99m leukocyte imaging, in acute graft-vs.-host disease, 801–802
- Technetium-99m macroaggregated albumin (MAA) imaging, and CT, of superior vena cava obstruction with intrahepatic and right-to-left shunts, 491–493
- Technetium-99m macroaggregated albumin (MAA) uptake, liver and vertebral uptake of, 793–794
- Technetium-99m mebrofenin cholescintigraphy, of gallbladder perforation, 644–645
- Technetium-99m mebrofenin imaging, of hepatic inflammatory activity (ab), 138
- Technetium-99m medronate imaging, of Pancoast tumor and reflex sympathetic dystrophy, 633–634
- Technetium-99m mercaptoacetyltryglycine (MAG3) imaging
 - diuresis renal, furosemide dose in, in azotemia and obstruction, 149–153
 - renal
 - of duplicated renal collecting system, 386–387
 - filtration fraction in, 231–237
 - left-to-right cardiac shunt diagnosed on, 762–764
 - renal dynamic, diagnostic difficulty in, 382–385
 - in renovascular hypertension, diagnostic pitfall in, 218–221
 - of supernumerary left kidney, 852–853
 - of suspected urinary leak after kidney transplantation, 592–594
- Technetium-99m methoxyisobutylisonitrile (MIBI) imaging
 - delayed, for parathyroid adenoma localization, 727–729
 - in differentiating malignant and benign solitary thyroid nodules, 534–537
 - double tracer subtraction and SPECT, of parathyroid adenoma, 662–663
 - of parathyroid adenoma retained at tip of intrathoracic catheter, 734
- Technetium-99m methylenediphosphonate (MDP) accumulation
 - crescent-shaped, in bladder, 447–448
 - in soft tissue, caused by bicycle riding, 279–280
- Technetium-99m methylenediphosphonate (MDP) extravasation, with cutaneous pattern of ulnar innervation, 640–641
- Technetium-99m methylenediphosphonate (MDP) imaging
 - atelectasis detection with, 70–71
 - of bilateral symmetrical Ollier disease, 456
 - of bull rider's myositis, 514–515
 - of calcaneus tuberculosis response to treatment, 506
 - enthesopathy mimicking intertrochanteric fracture on, 815–816
 - extraosseous accumulation of, toxic reaction to, 43–44
 - of fibrous dysplasia of bone, 177–180
 - of intense bilateral pectoralis major muscle activity, push-up sign on, 805–806
 - of juxtacortical osteosarcoma, central photopenia in, 112–114
 - of osseous involvement in multisystem sarcoidosis, 60–62
 - of ovarian carcinoma metastasis to breast, 167–170
 - of rhabdomyolysis resulting from simvastatin and clarithromycin interaction, 803–804
 - of sacral chordoma, 562–563
 - of scaphoid fracture, detection of finger clubbing and lung tumor on, 450–451
 - SPECT, recurrent skull osteosarcoma on, 72–73
- Tc-99m RBC imaging combined with, in Maffucci's syndrome, 817–820
- of tuberculous dactylitis involving middle finger, 312–315
- Technetium-99m methylenediphosphonate (MDP) uptake
 - in bilateral thigh adductor compartment, saddle sign in, 516
 - in heart and soft tissue, in hemodialysis patient, 854–855
 - in liver metastases from duodenal adenocarcinoma, 125
 - in primary lung cancer, 723–724
 - in soft tissue hematoma of chest wall, 454–455
- Technetium-99m nanocolloid marrow scan, of orthopedic infection, 469–474
- Technetium-99m pertechnetate accumulation, in pediatric Burkitt's lymphoma Tc-99m pertechnetate accumulation in, 264–265
- Technetium-99m pertechnetate subtraction scintigraphy (TPSS)
 - in Meckel's diverticulitis diagnosis, 823–824
 - before minimally invasive parathyroidectomy, 21–26
 - parathyroid adenoma detection with, after radioactive iodine treatment of goiter, 730–731
 - of parathyroid lesions (ab), 136
 - of thyroid gland, patterns, pearls, and pitfalls in, 181–193
- of thyroid lymphoma, 51–52
- Technetium-99m red blood cell (RBC) imaging
 - of accessory spleen, in chronic thrombocytopenic purpura, 403–409
 - of blood loss in thigh, after total hip replacement, 629–630
 - colloid and denatured, splenic lesion on, 105–109
 - distribution in liver/spleen, during resting cardiac studies (ab), 136
 - of gastrointestinal bleeding point and incidental hepatic hemangioma, 211–213
 - heat-denatured, of complete situs inversus in infant, 590–591
 - of hepatic lymphoma, 272–274
 - MRI fusion imaging with, of small suspected hepatic hemangioma, 844–845
 - in Osler-Weber-Rendu disease, 861–863
 - of spleen hemangioma, 670–671
 - Tc-99m MDP imaging combined with, in Maffucci's syndrome, 817–820
- Technetium-99m sestamibi imaging. *See also* Technetium-99m methoxyisobutylisonitrile (MIBI) imaging
 - of atypical carcinoid tumor, incidental detection of, 129–131
 - of ectopic mediastinal parathyroid tumor, in hyperparathyroidism, 388–389
 - Ga-67 SPECT with, of myocardial abscess around bioprosthetic aortic valve, 799–800
 - parathyroid, CT with, in localization of recurrent parathyroid carcinoma, 681–684
 - parathyroid adenoma detection with, after radioactive iodine treatment of goiter, 730–731
 - of parathyroid gland, sensitivity of (ab), 139
 - of parathyroid lesions (ab), 136
- Technetium-99m sulesomab imaging, of osteoarticular infection, 781–785
- Technetium-99m sulfur colloid imaging, of complete situs inversus in infant, 590–591
- Technetium-99m tetrofosmin myocardial scintigraphy, of recurrent breast cancer, 597
- Technetium-99m tetrofosmin
 - scintimammography, of neoadjuvant chemotherapy response, in breast cancer (ab), 137
- Technetium-99m tetrofosmin uptake, in mediastinal tumor, myocardial perfusion imaging of, 390–391
- Testis, melanoma metastasis to, PET/CT of, 811–812
- Tetrofosmin uptake, on myocardial perfusion imaging
 - in mediastinal tumor, 327–328
 - skeletal, in multiple myeloma diagnosis, 327–328
- Thallium-201 pertechnetate subtraction scintigraphy
 - before minimally invasive parathyroidectomy, 21–26

- for preoperative localization of ectopic undescended parathyroid gland, 542–544
- Thallium-201 single-photon emission computed tomography, attenuation-corrected, in assessing myocardial infarction size, 352–357
- Thallium-201 uptake, in breast lymphoma, during myocardial perfusion scintigraphy, 121–123
- Thigh, blood loss in, after total hip replacement, Tc-99m RBC scan of, 629–630
- Thoracic aortic aneurysm, dissecting, perigraft leak and thrombus in, F-18 FDG PET of, 750–751
- Thrombocytopenic purpura, chronic, accessory spleen in, Tc-99m RBC imaging of, 403–409
- Thrombus, in dissecting thoracic aortic aneurysm, F-18 FDG PET of, 750–751
- Thymic cancer/carcinoma, Ga-67 citrate uptake in, 126–128
- Thyroid biopsy, focal thyroid uptake on bone scan caused by, 849–851
- Thyroid cancer/carcinoma
differentiated, I-123Na surveillance study in (ab), 138
F-18 FDG PET of, pituitary activity on (ab), 133
follow-up of
 I-131-SPECT/CT imaging in (ab), 222
 myocardial perfusion SPECT in (ab), 222
metastasis of
 orbital, preoperative scintigraphy of, 249–250
 post I-131 scanning in, 795–798
 subdural hematoma mimicking, on I-131 whole-body scan, 164–166
mixed medullary-follicular, metastatic presentation of, 303–305
papillary and squamous cell, in same sentinel lymph node, 268–269
in postpartum woman, radioiodine therapy for, assessing breast uptake of I-131 before, 498–501
postsurgical radioiodine ablation for, cervical I-131 after, 358–361
- Thyroid gland, radionuclide imaging of, patterns, pearls, and pitfalls in, 181–193
- Thyroid lymphoma
Ga-67 citrate and Tc-99m pertechnetate scintigraphy of, 51–52
PET of, 572–573
- Thyroid nodules, solitary, differentiating malignant and benign with Tc-99m MIBI scans, 534–537
- Thyroid tumors, F-18 FDG PET of, 86–90
- Tongue muscle, F-18 FDG uptake by, 531–533
- Transplantation
of heart, lymphoproliferative disorder after, Ga-67 scintigraphy and F-18 FDG PET of, 329–331
of liver
 abnormal Tc-99m HDP uptake by skeletal muscle after, 689–693
 veno-occlusive disease in, colloid scintigraphy of, 292–295
renal
 hematoma after, diuretic renography of, 380–381
 suspected urinary leak after, Tc-99m MAG3 imaging of, 592–594
- Trauma
cerebrovenous infarct mimicking infiltrative glioma after, 68–69
of head, anosmia after, perfusion brain imaging vs. MRI of (ab), 135
- Triceps, bilateral rhabdomyolysis of, bone scintigraphy of, 110–111
- Trimetazidine, effect on myocardial perfusion in ischemic left ventricular dysfunction, 117–118
- Tuberculosis
bone scintiscanning of, 12–20
of calcaneus, Tc-99m MDP scintigraphy of treatment response, 506
disseminated, myelofibrosis in, before and after surgery, bone imaging of, 706–708
F-18 FDG PET imaging of, lymphoma-like appearance of, 124
skeletal, in absence of pulmonary disease, CT of, 507–508
- Tumoral calcinosis, on skeletal scintigraphy, 821–822
-
- U**
- Ulnar innervation, cutaneous pattern of, Tc-99m MDP extravasation with, 640–641
- Ultrasound, radionuclide vesicourethrogram with, in urinary tract infection evaluation (ab), 136
- Uremia, diabetic, basal ganglia lesions in, F-18 FDG PET of, 475–478
- Ureteropelvic junction obstruction, with stone, duplicated collecting system and, 386–387
- Urinary leak, after kidney transplantation, Tc-99m MAG3 imaging of, 592–594
- Urinary tract, upper, dilated, diuresis renography protocols in, 154–160
- Urinary tract infection, ultrasound and radionuclide vesicourethrogram in (ab), 136
- Urine, extravasation into colon, Tc-99m DTPA scintigraphy of, 198–200
-
- V**
- Vanishing bone disease, pelvic, 709–711
- Vasoactive intestinal peptide-secreting tumor (VIPoma), pancreatic mass from, 201–203
- Venography, radionuclide, of chylothorax, 440–441
- Veno-occlusive disease, in liver transplantation, colloid scintigraphy of, 292–295
- Ventilation-perfusion scan
in ARDS secondary to acute lupus myocarditis, 831–833
of cocaine-induced pulmonary vasospasm, 756–757
in pulmonary embolism detection, 419–425
- Vertebra, Tc-99m MAA uptake by, 793–794
- Vesicourethrogram, radionuclide, ultrasound with, in urinary tract infection evaluation (ab), 136
- Virchow's node, on F-18 FDG PET/CT, 770–772
- Visceral calcification, bone scintigraphy of, 332–334
-
- W**
- Weigert-Meyer rule, in ureteropelvic junction obstruction, duplicated collecting system and, 386–387
- Whole-body imaging
of bones, in McCune-Albright syndrome long-term follow-up, 712
F-18 FDG PET
 catheter-related focal FDG activity on, 238–242
 diffuse bone marrow uptake on, in patient taking recombinant erythropoietin, 161–163
 iatrogenic artifacts on, 429–439
I-123Na, in differentiated thyroid carcinoma patient (ab), 138
I-131, false-positive, in subdural hematoma mimicking thyroid carcinoma metastasis, 164–166
-
- Y**
- Yttrium-90 microspheres, internal radiation therapy with (ab), 134